

#### LA-UR-17-29889

Approved for public release; distribution is unlimited.

Title: The Development of the Generalized Spallation Model

Author(s): Juneau, Chase Miller

Kerby, Leslie Marie

Intended for: American Nuclear Society Winter Meeting, 2017-10-28/2017-11-02

(Washington, D.C., Maryland, United States)

Issued: 2017-11-13 (rev.1)







# The Development of the Generalized Spallation Model

Chase Juneau, Leslie Kerby

Nov. 1<sup>st</sup>, 2017



## **MCNP®** Registered Trademark





MCNP® and Monte Carlo N-Particle® are registered trademarks owned by Los Alamos National Security, LLC, manager and operator of Los Alamos National Laboratory. Any third party use of such registered marks should be properly attributed to Los Alamos National Security, LLC, including the use of the ® designation as appropriate. Any questions regarding licensing, proper use, and/or proper attribution of Los Alamos National Security, LLC marks should be directed to trademarks@lanl.gov.

Los Alamos
NATIONAL LABORATORY
EST. 1943



- Background
- Introduction
- Work Performed
- Results
- Conclusion
- Future Work





- Background
- Introduction
- Work Performed
- Results
- Conclusion
- Future Work

## **Background – Event Generators**





- CEM
  - "Cascade Exciton Model"
  - 100 MeV ≤ E ≤ 4.5 GeV

- LAQGSM
  - "Los Alamos Quark-Gluon String Model"
  - $-4.5 \text{ GeV/A} \le E \le 1 \text{ TeV/A}$




Image courtesy of the European Spallation Source (click here for more information).



## **Background - Physics**





- The reaction is broken into stages
  - Precompound stage
    - IntraNuclear Cascade (INC)
    - Coalescence
    - Preequilibrium
  - Compound stage
    - Evaporation
    - Fission
  - Fermi breakup





Image courtesy of the European Spallation Source (click <u>here</u> for more information).



## **Background - Physics**







Flow chart of the calculations underwent by the spallation models used in MCNP.



Los Alamos
NATIONAL LABORATORY
EST. 1943



- Background
- Introduction
- Work Performed
- Results
- Conclusion
- Future Work



#### Introduction





- Motivation is to investigate the deprecation of LAQGSM
  - GSM will be as comprehensive as CEM and LAQGSM combined

- GSM was built on the code of the CEM and LAQGSM event generators
  - GSM is an expansion of CEM

#### Introduction





Can be used in place of CEM and LAQGSM within MCNP



- Benefits include
  - Generally improved predictions
  - Less legacy code



```
COMMON/NCASCA/NCAS, NCPRI
 COMMON /MEMORY/ PME (9,5999), IME (5,5999)
  COMMON/INTCEN/IPO, INT1 (300), INT2 (5999), INT3 (5999),
                 INT4 (100000), IJPA, IST, JST, NRST
  COMMON/TAUIJ/ TAUK, TPTS, TYPS, TYTS, TYYS, TIJ4 (100000)
  COMMON/NUCOLL/ NUCOLL, MVCOLL (5999)
  COMMON/ACTIV/MPA(300), MYP(5999), MYT(5999), MYY(5999)
  COMMON/TLIMIT/TLIMIT
  COMMON/ACTIM/TINT
  COMMON/IPAUL/IP
 COMMON/INTCC/INTCC
  COMMON/IACT/ IACT/CVALON/ IVALON
  COMMON/CSLID/CLIDER (5999)
  DIMENSION RIJ(3), VIJ(3), NYY(5999)
  TAU=-.1
  IF (MV.LE.1)
                                                             RETURN
  IF(IP.EO.O.OR.IPO.EO.1)
                                                            GO TO 15
  DO 8 I=1,MV
8 \text{ NYY(I)} = \text{MYY(I)}
 DO 13 I=2, MV
  IF(IME(2,I).NE.0)
                                                             GO
                                                                TO
  CLIDI=CLIDER(I)
  EI = PME(8, I) + PME(9, I)
  INU=0
  IF ( IME (2, I).EQ.0.AND.IME (3, I).EQ.0.AND.IME (4, I).EQ.1.
 *AND.IME(5, I).EQ.0) INU=1
  JM=I-1
  DO 12 J=1, JM
  IF(IME(2,J).NE.0)
                                                             GO
                                                                TO 12
  IF (MVCOLL(I).EQ.MVCOLL(J))
                                                             GO
                                                                TO
  IF(MYY(I).EQ.1)
                                                             GO
                                                                 TO
 IF(MYY(J).EQ.1)
                                                             GO
                                                                 TO
                                                                 TO 12
                                                             GO
 JNU=0
```





A small segment of LAQGSM code.



#### Introduction





- GSM offers predictions for particle
  - Production cross sections
  - Multiplicities
  - Kinetic energies
  - etc.

- Where can GSM be used?
  - Recall that GSM requires <u>large</u> kinetic energies



## **Introduction - Applications**





Accelerators

Image courtesy of CERN (click here for more information).

Medical

Space



Image courtesy of NASA (click <u>here</u> for more information).

UNCLASSIFIED




Image courtesy of Pijls-Johannesma, Madelon, *et al.*, "Do we have enough evidence to implement particle therapy as standard treatment in lung cancer? A systematic literature review." *The oncologist* 15.1 (2010): 93-103.



Los Alamos
NATIONAL LABORATORY
EST. 1943



- Background
- Introduction
- Work Performed
- Results
- Conclusion
- Future Work

#### **Work Performed**





- Added LAQGSM physics to GSM
  - Namely the time <u>dependent</u> cascade model

Data analysis

- Some Verification and Validation (V&V)
  - Namely Software Quality Assurance (SQA)



Los Alamos
NATIONAL LABORATORY
EST. 1943



- Background
- Introduction
- Work Performed
- Results
- Conclusion
- Future Work

#### Results





- Removed ~30% of LAQGSM code
  - 12,000 lines!

More user options and a more robust output

Generally improved predictions

```
COMMON/NCASCA/NCAS,NCPRI
COMMON /MEMORY/ PME (9,5999), IME (5,5999)
COMMON/INTCEN/IPO, INT1 (300), INT2 (5999), INT3 (5999),
                INT4 (100000), IJPA, IST, JST, NRST
COMMON/TAUIJ/ TAUK, TPTS, TYPS, TYTS, TYYS, TIJ4 (100000)
  OMMON/NUCOLL/ NUCOLL, MVCOLL (5999)
COMMON/ACTIV/MPA(300), MYP(5999), MYT(5999), MYY(5999)
 COMMON/IACT/ IACT/CVALON/ IVALON
DIMENSION RIJ(3), VIJ(3), NYY(5999)
IF (MV.LE.1)
IF(IP.EQ.O.OR.IPO.EQ.1)
IF (IME (2, I) .NE.0)
CLIDI=CLIDER(I)
EI=PME(8,I)+PME(9,I)
IF ( IME (2, I) .EQ. 0. AND . IME (3, I) .EQ. 0. AND . IME (4, I) .EQ. 1.
AND.IME(5, I).EQ.0) INU=1
        J=1,JM
IF(IME(2,J).NE.0)
IF (MVCOLL(I).EQ.MVCOLL(J))
IF(MYY(I).EQ.1)
IF (MYY (J) .EQ.1)
```



#### **Results - Threshold**





 GSM uses the cascade model from the CEM event generator below the threshold energy for incident nucleons, pions, and photons

 GSM uses the cascade model of the LAQGSM event generator otherwise

How do the cascade models compare?








### **Results - Threshold**

Angle Integrated Spectra (<sup>6</sup>He)



<sup>6</sup>He production cross section from 4.5 GeV neutrons striking <sup>238</sup>U. No experimental data available.








## Results - High Energy Upgrades





<sup>6</sup>He production cross section from 4.5 GeV neutrons striking <sup>238</sup>U. No experimental data available.








## Results – High Energy Upgrades

Double Differential Spectra (<sup>6</sup>He at 90 degrees)



<sup>6</sup>He production cross section from 2.1 GeV/A <sup>20</sup>Ne striking <sup>238</sup>U. Data from Gossett et al., "Central Collisions of Relativistic Heavy Ions."








## Results – High Energy Upgrades

Double Differential Spectra (<sup>6</sup>Li at 60 degrees)



<sup>6</sup>Li production cross section from 480 MeV protons striking <sup>107</sup>Ag. Data from Green et al., "Inclusive Production of Isotopically Resolved Li through Mg Fragments by 480 MeV p + Ag Reactions."








## Results - Integrated Spectra

Energy Integrated Spectra ( $^{10}B$ )



<sup>10</sup>B production cross section from 5.5 GeV protons striking <sup>238</sup>U. Data from Ponzaker, et al., "Fragment Production in the Interaction of 5.5-GeV Protons with Uranium."








## Results - Integrated Spectra

Energy Integrated Spectra ( $^{10}B$ )



<sup>10</sup>B production cross section from 5.5 GeV protons striking <sup>238</sup>U. Data from Ponzaker, et al., "Fragment Production in the Interaction of 5.5-GeV Protons with Uranium."



Los Alamos
NATIONAL LABORATORY
EST. 1943



- Background
- Introduction
- Work Performed
- Results
- Conclusion
- Future Work

## Conclusion/Summary





- GSM predictions are similar to those of LAQGSM, with some generally improved predictions
  - More improvements to be completed

Removed legacy code (~30%)

Further V&V is necessary



Los Alamos
NATIONAL LABORATORY
EST. 1943



- Background
- Introduction
- Work Performed
- Results
- Conclusion
- Future Work

#### **Future Work**

**Optimization** 

V&V

API/Driver

- **Improvements** 
  - Better predictions
  - Modernization

**UNCLASSIFIED** 








Image courtesy of Marketing91 from Hitesh Bhasin's blog (click here for more information).



Image courtesy of Retriever Media Informatie (click here for more information).



## Acknowledgements





This work was carried out, in part, from funding from Los Alamos National Laboratory, under Idaho State University subcontract number 385443.

## Thank you!





#### **Comments?**

### **Questions?**

Chase Juneau - <u>junechas@isu.edu</u> Leslie Kerby - <u>kerblesl@isu.edu</u>

